


## ZAIAF - ZAEAF series

Two oscillating hubs, open bell and floating shaft



| SIZE | TECHNICAL DATA                               |              |       |                 | DIMENSIONS (mm) |         |      |      |      |      |     |    |
|------|--|--------------|-------|-----------------|-----------------|---------|------|------|------|------|-----|----|
|      | $\frac{N}{n} = \frac{\text{kW}}{\text{rpm}}$ | Torque (kNm) |       | Max Speed (rpm) | d max.          | d2 max. | D    | D1   | D2   | Dm   | L1  | a  |
|      |  | Nominal      | Peak  |                 |                 |         |      |      |      |      |     |    |
| 580  | 28,60  | 273          | 546   | 1150            | 325             | 370     | 580  | 495  | 506  | 400  | 250 | 6  |
| 630  | 39,80  | 380          | 760   | 1000            | 370             | 405     | 630  | 545  | 556  | 450  | 275 | 6  |
| 700  | 51,30  | 490          | 980   | 910             | 400             | 440     | 700  | 590  | 606  | 490  | 305 | 6  |
| 750  | 68,60  | 655          | 1310  | 830             | 430             | 485     | 760  | 650  | 666  | 550  | 330 | 6  |
| 825  | 86,90  | 830          | 1660  | 700             | 475             | 535     | 825  | 725  | 730  | 610  | 355 | 6  |
| 885  | 102,40                                       | 978          | 1956  | 650             | 510             | 570     | 885  | 755  | 770  | 650  | 380 | 10 |
| 935  | 123,50                                       | 1180         | 2360  | 620             | 530             | 610     | 935  | 805  | 820  | 680  | 410 | 10 |
| 1010 | 160,80                                       | 1536         | 3072  | 560             | 580             | 660     | 1010 | 880  | 900  | 750  | 430 | 10 |
| 1085 | 187,70                                       | 1793         | 3586  | 530             | 610             | 700     | 1085 | 930  | 950  | 790  | 460 | 15 |
| 1185 | 259,70                                       | 2480         | 4960  | 480             | 680             | 780     | 1185 | 1030 | 1050 | 870  | 510 | 15 |
| 1340 | 365,20                                       | 3488         | 6976  | 420             | 780             | 880     | 1340 | 1165 | 1190 | 1000 | 560 | 15 |
| 1440 | 159,40                                       | 4387         | 8774  | 390             | 860             | 960     | 1440 | 1265 | 1290 | 1100 | 610 | 20 |
| 1575 | 612,50                                       | 5850         | 11170 | 315             | 950             | 1060    | 1575 | 1400 | 1430 | 1220 | 660 | 20 |
| 1705 | 742,80                                       | 7094         | 14188 | 290             | 1020            | 1135    | 1705 | 1500 | 1530 | 1310 | 710 | 20 |
| 1805 | 879,60                                       | 8400         | 16800 | 270             | 1090            | 1215    | 1805 | 1600 | 1630 | 1400 | 760 | 20 |
| 1935 | 1069,70                                      | 10474        | 20948 | 250             | 1180            | 1315    | 1935 | 1730 | 1760 | 1520 | 810 | 20 |

Specify the dimension LM and speed when making the request.